

## List of Publications

- [1] W. Grover Coors and Dennis W. Readey, "Proton Conductivity Measurements in Yttrium Barium Cerate by Impedance Spectroscopy," *J. Am. Ceram. Soc.* **85**[11] 2637-40 (2002)
- [2] W.G. Coors, "Development of a protonic ceramic fuel cell at Protonetics," 5th European Solid Oxide Fuel Cell Forum Proceedings, vol.2, 602-607, Lucerne, Switzerland, 1-5 July, (2002)
- [3] W.G. Coors, "Protonic ceramic fuel cells for high-efficiency operation with methane," *Journal of Power Sources* **118**, 150-156 (2003)
- [4] W.G. Coors and Dalong Zhong "Differential resistance analysis of protonic ceramic fuel cells for measuring bulk conductivity," *Solid State Ionics*, **162-163**, 283-290, (2003)
- [5] W. G. Coors, "Steam reforming and water-gas shift by steam permeation in a protonic ceramic fuel cell," *Journal of the Electrochemical Society*, **151** (7) A994-A997 (2004)
- [6] T. Schober, W. Grover Coors, "Entry and exit of water vapor in bulk ceramic proton conductors," *Solid State Ionics*, **176**, 357-362 (2005)
- [7] W. Grover Coors, Rod Sidwell and Frank Anderson, "Characterization of electrical efficiency in protonic ceramic fuel cells," *Proceedings of the 6<sup>th</sup> European Solid Oxide Fuel Cell Forum*, Mogens Mogensen, Editor, Vol.1, 117-124 (2004)
- [8] W. Grover Coors, "Ceramic fuel cell technology – State of the technology," Governor's Technology Summit, State of Colorado, June 3, 2004
- [9] H.J. Kleebe, D. Zhong, E.D. Steffee and W.G. Coors, "Nanoscale microstructure degradation of Y-BaCeO<sub>3</sub> under service conditions," *Euro Ceramics VIII: Key Engineering Materials* Vols. 264-268, 1141-1146 (2004)
- [10] Rod W. Sidwell and W. Grover Coors, "Large limits of electrical efficiency in hydrocarbon fueled SOFCs," *Journal of Power Sources*, **143**, 166-172 (2005)
- [11] Rod W. Sidwell and W. Grover Coors, "Thermodynamic limits of electrical efficiency in hydrocarbon fueled SOFC using internal reforming," *Proceeding of the Ninth International Symposium on Solid Oxide Fuel Cells (SOFC-IX)*, May 15-20, 2005, Quebec City, Canada, pp.640-648
- [12] R.J. Kee, H. Zhu, D.G. Goodwin, R.W. Sidwell and W.G. Coors, "Computational predictions of cell efficiency and fuel utilization as a function of fuel processing and cell voltage," *Proceeding of the Ninth International Symposium on Solid Oxide Fuel Cells (SOFC-IX)*, May 15-20, 2005, Quebec City, Canada, pp.649-658
- [13] W.G. Coors and R.C. Swartzlander, "Partial conductivity measurements in BaCe<sub>0.9</sub>Y<sub>0.1</sub>O<sub>3-d</sub> by impedance spectroscopy," *Proceedings of the 26<sup>th</sup> Risø International Symposium on Materials Science: Solid State Electrochemistry*, Linderoth, et al., Eds., September 4-8, 185-196 (2005)
- [14] W. Grover Coors, "Protonic ceramic steam-permeable membranes," *Solid State Ionics*, **178**, 481-485 (2007)
- [15] W.G. Coors, J.R. O'Brien, and J.T. White, "Examination of Ni accretions in reduced 8YSZ electrolyte with 1wt% dissolved NiO," *Available from author upon request*

- [16] M.D. Sanders, R.P. O'Hayre, W.G. Coors, "Modeling of material parameters for increased stream-permeation in yttrium-doped barium cerate ceramic membranes," ASME 6<sup>th</sup> Intl. Fuel Cell Science, Engineering & Technology Conf., Denver, CO USA, June 16-18, 1-8, (2008)
- [17] W.G. Coors, J.R. O'Brien, and J.T. White, "Conductivity degradation of NiO-containing 8YSZ and 10YSZ electrolyte during reduction," *Solid State Ionics*, **180**, 246-251 (2009)
- [18] W. Grover Coors and T. Manerbino, "Characterization of composite cermet with 68 wt.% NiO and BaCe<sub>0.2</sub>Zr<sub>0.6</sub>Y<sub>0.2</sub>O<sub>3-d</sub>," *J. Membrane Sci.*, **376**, 50-55 (2011)
- [19] W.G. Coors, "Co-ionic Conduction in Protonic Ceramics of the Solid Solution, BaCe<sub>x</sub>Zr<sub>(y-x)</sub>Y<sub>(1-y)</sub>O<sub>3-d</sub>; Part I: Fabrication and Microstructure," in Ceramic Materials/ Book 3, ISBN 978-953-307-505-1, Intech, Croatia (2011)
- [20] W.G. Coors, "Co-ionic Conduction in Protonic Ceramics of the Solid Solution, BaCe<sub>x</sub>Zr<sub>(y-x)</sub>Y<sub>(1-y)</sub>O<sub>3-d</sub>; Part II: Co-Ionic Conduction," in Ceramic Materials/ Book 3, ISBN 978-953-307-505-1, Intech, Croatia (2011)
- [21] J. White, I. Reimanis, S. Menzer, G. Coors, "The enhanced stabilization of the cubic phase in yttria-stabilized zirconia with the addition of nickel oxide," *J. Amer. Ceram. Soc.*, **94**[7] 2030-2036 (2011)
- [22] R.J. Kee, B.B. Almand, J.M. Blasi, B.L. Rosen, M. Hartmann, N.P. Sullivan, H. Zhu, A.R. Manerbino, S. Menzer, W.G. Coors, "The design, fabrication, and evaluation of a ceramic counter-flow microchannel heat exchanger," *Applied Thermal Engineering* **31** 2004-2012 (2011)
- [23] S. Ricote, N. Bonanos, A. Manerbino, W.G. Coors, "Conductivity study of dense BaCe<sub>x</sub>Zr<sub>(09-x)</sub>Y<sub>0.1</sub>O<sub>(3-d)</sub> prepared by solid state reactive sintering at 1500 °C," *Int.J.Hydrogen Energy*, **37** 7954-7961 (2012)
- [24] S. Robinson, A. Manerbino, W.G. Coors, "Galvanic hydrogen pumping in the protonic ceramic perovskite BaCe<sub>0.2</sub>Zr<sub>0.7</sub>Y<sub>0.1</sub>O<sub>3-d</sub>," *J. Membrane Sci.*, **446** 99-105 (2013)
- [25] W. Grover Coors, "A Stoichiometric Titration Method for Measuring Galvanic Hydrogen Flux in Ceramic Hydrogen Separation Membranes," *J. Membrane Sci.*, **458** 245-253 (2014)
- [26] S. Ricote, A. Manerbino, N. Sullivan, W.G. Coors, "Preparation of dense mixed electron- and proton-conducting ceramic composite materials using solid-state reactive sintering: BaCe<sub>0.8</sub>Y<sub>0.1</sub>M<sub>0.1</sub>O<sub>3-δ</sub>-Ce<sub>0.8</sub>Y<sub>0.1</sub>M<sub>0.1</sub>O<sub>2-δ</sub> (M=Y, Yb, Er, Eu)," *J. Mater. Sci.*, DOI 10.1007/s10853-014-8129-z (2014)
- [27] W. Grover Coors, "Ten Million Liter per Day Gas-to Liquids Refinery," Intl. Discussion on Hydrogen Energy and Applications (IDHEA) – May 12th-14th 2014 – Nantes, France (2014)
- [28] D.R. Diercks, B.P. Gorman, A. Manerbino, G. Coors, "Atom Probe Tomography of Yttrium-Doped Barium-Cerium-Zirconium Oxide with NiO Addition," *J. Amer. Ceram. Soc.*, **1-6** DOI:10.1111/jace.13093 (2014)
- [29] S. Ricote, N. Bonanos, A. Manerbino, N. P. Sullivan, W. G. Coors, "Effects of the fabrication process on the grain boundary resistance in BaZr<sub>0.9</sub>Y<sub>0.1</sub>O<sub>3-d</sub>," *J. Mater. Chem. A*, **2**, 16107-16115 (2014)

- [30] S. Ricote, H. Zhu, W. G. Coors, C. Chatzichristodoulou, R. J. Kee, "Equilibrium and transient conductivity for gadolinium-doped ceria under large perturbations: I. Experiments," *Solid State Ionics*, **265** [1], 22-28 (2014)
- [31] S. Ricote, H. Zhu, W. G. Coors, C. Chatzichristodoulou, R. J. Kee, "Equilibrium and transient conductivity for gadolinium-doped ceria under large perturbations: II. Modeling," *Solid State Ionics*, **268**, Part A, 198-207 (2014)
- [32] H. Zhu, S. Ricote, W. Grover Coors and R. J. Kee, "Interpreting equilibrium-conductivity and conductivity-relaxation measurements to establish thermodynamic and transport properties for multiple charged defect conducting ceramics," *Faraday Discuss.*, **182**, 49 (2015)
- [33] W. Grover Coors, A. Manerbino, D. Martinefski and S. Ricote, "Fabrication of Yttrium-Doped Barium Zirconate for High Performance Protonic Ceramic Membranes," Chapter 3 in Perovskite Materials - Synthesis, Characterisation, Properties, and Applications, InTech Open Science, [doi.org/10.5772/61660] (2016)
- [34] V. Kyriakou, I. Garagounisa, A. Vourrosa, E. Vasileiou, A. Manerbino, W.G. Coors, M. Stoukides, "Methane steam reforming at low temperatures in a BaZr<sub>0.7</sub>Ce<sub>0.2</sub>Y<sub>0.1</sub>O<sub>2.9</sub> proton conducting membrane reactor," *Applied Catalysis B: Environmental* **186**, 1-9 (2016)
- [35] E. Vasileiou, V. Kyriakou, I. Garagounis, A. Vourros, A. Manerbino, W. G. Coors, M. Stoukides, "Reaction Rate Enhancement During the Electrocatalytic Synthesis of Ammonia in a BaZr<sub>0.7</sub>Ce<sub>0.2</sub>Y<sub>0.1</sub>O<sub>2.9</sub> Solid Electrolyte Cell," *Top Catal.* **58**:1193–1201 (2015)
- [36] E. Vasileiou, V. Kyriakou, I. Garagounis, A. Vourros, A. Manerbino, W. G. Coors, M. Stoukides, "Electrochemical Enhancement of Ammonia in a BaZr<sub>0.7</sub>Ce<sub>0.2</sub>Y<sub>0.1</sub>O<sub>2.9</sub> Solid Electrolyte Cell," *Solid State Ionics* **288**, 357-362 (2016) [doi: 10.1016/j.ssi.2015.12.022]
- [37] W. Grover Coors, Foreword: Three Decades of Ceramic Proton Conductors: The Road to Commercialization, in Proton-Conducting Ceramics - From Fundamentals to Applied Research, Mathieu Marrony, Ed. Copyright © 2016 by Pan Stanford Publishing Pte. Ltd.
- [38] Kjolseth, et al., "Direct conversion of methane to aromatics in a catalytic co-ionic membrane reactor," *Science* **353** (6299), 563-566 (2016) [doi: 10.1126/science.aag0274]
- [39] Grant Hudish, Anthony Manerbino, William G. Coors, Sandrine Ricote, "Chemical expansion in BaZr<sub>0.9-x</sub>Ce<sub>x</sub>Y<sub>0.1</sub>O<sub>3-d</sub> (x = 0 and 0.2) upon hydration determined by high-temperature X-ray diffraction," *J Am Ceram Soc.* 1-12 (2017) [doi: 10.1111/jace.15275]
- [40] S. Ricote, L. Krishna, W.G. Coors, J.R. O'Brien, "Conductivity behavior of BaZr<sub>0.9</sub>Dy<sub>0.1</sub>O<sub>3-d</sub>," *Solid State Ionics*, (2017) [DOI: 10.1016/j.ssi.2017.11.010]
- [41] W. Grover Coors, "On the Nature of Electronic Defects in Y-doped Barium Zirconate/Cerate," ResearchGate [doi: 10.13140/RG.2.2.17628.28804] (2018)
- [42] W. Grover Coors, "Thermochemistry of Closed-cycle Reforming," ResearchGate [doi: 10.13140/RG.2.2.28666.18883] (2018)
- [43] W. Grover Coors, "Evaluation of Liquid Fueling Options for Marine Hydrogen Power Systems," Research Gate [doi: 10.13140/RG.2.2.26397.15841] (2018)

Revised: 2/8/2021

- [44] W. Grover Coors, "Combined Hydrogen and Power Generation," ResearchGate [doi: 10.13140/RG.2.2.33089.30569] (2019)
- [45] Sandrine Ricote, Benjamin Kee, W. Grover Coors, "Channelized Substrates Made from  $\text{BaZr}_{0.75}\text{Ce}_{0.05}\text{Y}_{0.2}\text{O}_{3-d}$  Proton-Conducting Ceramic Polymer Clay," **Membranes** 2019, 9, 130; [doi:10.3390/membranes9100130]
- [46] W. Grover Coors, "Hydrogen from Hydrocarbons in a Heat-to-Hydrogen Generator," April 12, 2020, [doi: 10.13140/RG.2.2.30185.03682]
- [47] W. Grover Coors, "Generation of Hydrogen from Plastic Waste by H<sub>2</sub>H with CO<sub>2</sub> Capture and Sequestration," April 21, 2020 [doi: 10.13140/RG.2.2.15085.54242]
- [48] Huayang Zhu et al, Self-contained Electrochemical Process to Produce Pure Compressed Hydrogen from Hydrocarbons and Steam Without an External Energy Supply," *J. Electrochem Soc.* **167** 104512 (2020)
- [49] W.Grover Coors, "Hydrogen from Biomass in a Compound Hydrogen Generator," March 10, 2020 [doi: 10.13140/RG.2.2.21911.60321]
- [50] W.Grover Coors, "Hydrogen from Waste Hydrocarbons in a Compound Hydrogen Generator," September, 2020 [doi: 10.13140/RG.2.2.16681.01120]